INDEX TO VOLUME 63

Author index*

A

Adams WK (*see* Rieger et al). 1990;63:457-65
Adrian ED (*see* Krantz et al). 1990;63:713-5
Agar JR, Law DB, Seymour HC. An impression tray hanger for disinfection. 1990;63:597-9
Akagawa Y, Satomi K, Nikai H, Tsuru H. Initial interface between submerged hydroxyapatite-coated titanium alloy implant and mandibular bone after nontapping and tapping insertions in monkeys. 1990;63:559-64
Andreaus SB (*see* Haywood et al). 1990;63:289-91
Aquilino SA (*see* Langenwalter et al). 1990;63:270-6
Aslan Y, Avci M. Monopoly coating on acrylic resin surfaces: a bacteriologic study. 1990;63:478-81
Assif D, Marshak BL, Pilo R. Cuspal flexure associated with amalgam restorations. 1990;63:258-62
Atta MO, Smith BGN, Brown D. Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers. 1990;63:137-43
Avci M (*see* Aslan and Avci). 1990;63:478-81
Aziz RA (*see* Sulong and Aziz). 1990;63:342-9

B

Bagby M, Marshall SJ, Marshall GW Jr. Metal ceramic compatibility: a review of the literature. 1990;63:21-5
Banks RG. Conservative posterior ceramic restorations: a literature review. 1990;63:619-26
Bao NL. 1990;63:602-3 (Letter)
Barghi N (*see* Blackman et al). 1990;63:295-300
—— (*see* Evans et al). 1990;63:380-9
Becker PJ (*see* Veres et al). 1990;63:90-4
—— (*see* Veres et al). 1990;63:193-7
—— (*see* Veres et al). 1990;63:325-31
—— (*see* Veres et al). 1990;63:466-71
Berg E. 1990;63:366-7 (Letter)
Berruet RG (*see* Malquarti et al). 1990;63:251-7
Bichacho N (*see* Cardash et al). 1990;63:502-5
Blackman R, Barghi N, Duke E. Influence of ceramic thickness on the polymerization of light-cured resin cement. 1990;63:295-300
Boere G, de Koomen H, Davidson CL. Liquid-supported dentures. Part II: clinical study, a preliminary report. 1990;63:434-6
—— (*see* Davidson and Boere). 1990;63:303-6
Bois D (*see* Malquarti et al). 1990;63:251-7
Borsboom PCF (*see* van der Burgt et al). 1990;63:155-62
Bowles WF (*see* Hinrichs et al). 1990;63:403-7
Bowles WF III (*see* Latta et al). 1990;63:654-61
Boyd SB (*see* Throckmorton et al). 1990;63:685-95
Breeding LC (*see* Dixon et al). 1990;63:55-8
Brose MO (*see* Rieger et al). 1990;63:671-6
Brown D (*see* Atta et al). 1990;63:137-43
Brown JW (*see* Tam and Brown). 1990;63:282-5
Bruggers KJ (*see* Haywood et al). 1990;63:289-91
Burgess JO (*see* Kane et al). 1990;63:607-13
Burrows D (*see* Eedy et al). 1990;63:593-6
Butel EM. A slide duplicator attachment. 1990;63:600-1 (Tips)

C

Campbell SD. Comparison of conventional paint-on die spacers and those used with the all-ceramic restorations. 1990;63:151-5
——, Weener H. The hinged-clasp assembly removable partial denture. 1990;63:59-61
—— (*see* Pelletier and Campbell). 1990;63:395-403
—— (*see* Pelletier and Campbell). 1990;63:536-40
Caputo AA (*see* Jochen et al). 1990;63:414-8
—— (*see* Sorensen et al). 1990;63:630-7
Cardash HS, Bichacho N, Imber S, Liberman R. A combined amalgam and composite resin restoration. 1990;63:502-5
——, Rosenberg M. An innovative method of monitoring denture hygiene. 1990;63:661-4
Carossa S, Di Bari E, Lombardi M, Preti G. A graphic evaluation of the intermaxillary relationship before and after therapy with the Michigan splint. 1990;63:586-92
Caughman GB (*see* Caughman et al). 1990;63:513-21
Caughman WF, Caughman GB, Dominy WT, Schuster GS. Glass ionomer and composite resin cements: effects on oral cells. 1990;63:513-21
Chalian VA (*see* DaBreo et al). 1990;63:316-20
Chappell RP (*see* Hung et al). 1990;63:26-31
Chesnut CH III (*see* Kribbs et al). 1990;63:86-9
Cheung GSP. Reducing marginal leakage of posterior composite resin restorations: a review of clinical techniques. 1990;63:286-8
Cheung SP, Dimmer A. Management of worn dentition with resin-bonded cast metal lingual veneering. 1990;63:122-3
Chun D (*see* Nielsen et al). 1990;63:202-17
Clark TR (*see* Withrow et al). 1990;63:363-4 (Tips)
Clay DJ (*see* Look et al). 1990;63:701-7
Clayton JA (*see* Sidelsky and Clayton). 1990;63:580-6
Cleaton-Jones P (*see* Fuks et al). 1990;63:129-34
Clifford T (*see* Eedy et al). 1990;63:593-6
Colaizzi FA (*see* Michael et al). 1990;63:549-53
Conkin JE (*see* Latta et al). 1990;63:654-61
Covey DA (*see* Pratten et al). 1990;63:223-7
Craig RG, Hare PH. Properties of a new polyether urethane dimethacrylate photoinitiated elastomeric impression material. 1990;63:16-20
Crandall EM (*see* Withrow et al). 1990;63:363-4 (Tips)
Croft AR (*see* Kaminski et al). 1990;63:707-12
Croll BM. Emergence profiles in natural tooth contour. Part II: clinical considerations. 1990;63:374-9
Crow HC (*see* Mohl et al). 1990;63:472-7

D

Dabadie M, Renner RP. Mechanical evaluation of splint therapy in treatment of the edentulous patient. 1990;63:52-5
DaBreo EL. A light-cured interim obturator prosthesis: a clinical report. 1990;63:371-3
——, Chalian VA, Lingeman R, Reisbick MH. Prosthetic and surgical management of osteogenic sarcoma of the maxilla. 1990;63:316-20
——, Ghalichebaf M. Provisional restoration for a patient with cleft lip and palate: a clinical report. 1990;63:119-21
Daher T (*see* Sorensen et al). 1990;63:630-7
Davidson CL, Boere G. Liquid-supported dentures. Part I: theoretical and technical considerations. 1990;63:303-6
—— (*see* Boere et al). 1990;63:434-6

*January, 1-118; February, 119-250; March, 251-370; April, 371-494; May, 495-606; June, 607-740.

Davison SP, Myslinski NR. Shade selection by color vision–defective dental personnel. 1990;63:97-101
de Koomen H (*see* Boere et al). 1990;63:434-6
Denissen HW. 1990;63:491 (Letter reply)
Derand T. A lining system for composite resin fillings. 1990;63:134-7
de Rijk WG (*see* Engler et al). 1990;63:353-8
DeRouen T (*see* Dworkin et al). 1990;63:574-9
DeWald JP (*see* Mathis et al). 1990;63:522-5
Di Bari E (*see* Carossa et al). 1990;63:586-92
Dimmer A (*see* Cheung and Dimmer). 1990;63:122-3
Dixon DL, Breeding LC, Swift EJ Jr. Use of a partial-coverage porcelain laminate to enhance clasp retention. 1990;63:55-8
Dominy WT (*see* Caughman et al). 1990;63:513-21
Donovan TE (*see* Spector et al). 1990;63:444-7
Drennon DG, Johnson GH. The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts. 1990;63:233-41
—— (*see* Gordon et al). 1990;63:12-5
Driver N (*see* Levendag et al). 1990;63:665-70
Duke E (*see* Blackman et al). 1990;63:295-300
Dworkin SF, LeResche L, DeRouen T, Von Korff M. Assessing clinical signs of temporomandibular disorders: reliability of clinical examiners. 1990;63:574-9

E

Eedy DJ, Burrows D, Clifford T, Fay A. Elevated T cell subpopulation in dental students. 1990;63:593-6
Eick JD (*see* Hung et al). 1990;63:26-31
Elledge DA. 1990;63:603 (Letter reply)
——, Schorr BL. A provisional and new crown to fit into a clasp of an existing removable partial denture. 1990;63:541-4
Engelman MJ (*see* Sorensen and Engelman). 1990;63:529-36
—— (*see* Sorensen et al). 1990;63:630-7
Engler RA, de Rijk WG, Tesk JA, Morris D. Multidimensional internal setting expansion of a phosphate-bonded casting investment measured with strain gauges. 1990;63:353-8
Evans DB, Barghi N, Malloy CM, Windeler AS. The influence of condensation method on porosity and shade of body porcelain. 1990;63:380-9

F

Farrell S (*see* Kerstein and Farrell). 1990;63:695-700
Fay A (*see* Eedy et al). 1990;63:593-6
Fehling AW. Cast connectors as cores for ceramometal pontics on removable partial dentures and for splinting anterior crowns. 1990;63:167-71
Fenster RK (*see* Kohli et al). 1990;63:4-8
—— (*see* Kuyinu et al). 1990;63:292-5
Ferracane JL (*see* Mathis et al). 1990;63:522-5
Fujisawa M, Uchida K, Yamada Y, Ishibashi K. Surface electromyographic electrode pair with built-in buffer-amplifiers. 1990;63:350-2
Fuks AB, Funnell B, Cleaton-Jones P. Pulp response to a composite resin inserted in deep cavities with and without a surface seal. 1990;63:129-34
Fukushima T (*see* Ichiki et al). 1990;63:525-9
Funnell B (*see* Fuks et al). 1990;63:129-34

G

Gallin DM. Modification of a crown remover. 1990;63:364-5 (Tips)
Gardner LK, Parr GR, Rahn AO. Combination nasal support breathing flange with hollow obturator prosthesis: a clinical report. 1990;63:497-501
——, Rahn AO, Parr GR. Using vinyl polysiloxane in the altered cast procedure for speech-aid prostheses. 1990;63:62-4
——, ——, ——, Richardson DW. Using a tooth-reduction guide for modifying natural teeth. 1990;63:637-9
Ghalichebaf M (*see* DaBreo and Ghalichebaf). 1990;63:119-21
Gibbs CH (*see* Michael et al). 1990;63:549-53
Goldenberg BS, Hart JK, Sakumura JS. The loss of occlusion and its effect on mandibular immediate side shift. 1990;63:163-6
Gong K (*see* Look et al). 1990;63:701-7
Gordon GE, Johnson GH, Drennon DG. The effect of tray selection on the accuracy of elastomeric impression materials. 1990;63:12-5
Götz G (*see* Müller et al). 1990;63:41-6
—— (*see* Müller et al). 1990;63:263-9
—— (*see* Müller et al). 1990;63:389-95
Granström G. Upper airway obstruction caused by a do-it-yourself denture reliner. 1990;63:495-6
Graser SD. Organizing records and equipment for transport to a laboratory. 1990;63:102-3
Grisius RJ (*see* Kohli et al). 1990;63:4-8
—— (*see* Kuyinu et al). 1990;63:292-5
Groshan GJ (*see* Throckmorton et al). 1990;63:685-95
Gross AJ (*see* Mohl et al). 1990;63:472-7

H

Hallam RF (*see* Sutherland and Hallam). 1990;63:242-4
Hammad IA, Stein RS. A qualitative study for the bond and color of ceramometals. Part I. 1990;63:643-53
Hare PH (*see* Craig and Hare). 1990;63:16-20
Hart JK (*see* Goldenberg et al). 1990;63:163-6
Haywood VB, Kanoy BE Jr, Bruggers KJ, Andreaus SB. Thermal removal of composite resin: effect on rebonding etched metal. 1990;63:289-91
Heuer GA (*see* Kaminski et al). 1990;63:707-12
Hinrichs RE, Bowles WF, Huget EF. Apparent density and tensile strength of materials for facially butted porcelain margins. 1990;63:403-7
Holmes JB (*see* Koumjian and Holmes). 1990;63:639-42
Horibe T (*see* Ichiki et al). 1990;63:525-9
Hörz W (*see* Müller et al). 1990;63:41-6
—— (*see* Müller et al). 1990;63:263-9
—— (*see* Müller et al). 1990;63:389-95
Huget EF (*see* Hinrichs et al). 1990;63:403-7
Hung K-S (*see* Hung et al). 1990;63:26-31
Hung SH, Hung K-S, Eick JD, Chappell RP. Marginal fit of porcelain-fused-to-metal and two types of ceramic crown. 1990;63:26-31

I

Ichiki K, Fukushima T, Yoshida Y, Horibe T. Correlation between air-drying duration and bond strength of composite resins to teeth. 1990;63:525-9
Imber S (*see* Cardash et al). 1990;63:502-5
Ishibashi K (*see* Fujisawa et al). 1990;63:350-2
Ivanhoe JR (*see* Krantz et al). 1990;63:713-5

J

Jacob RF, King G. Indirect retainers in soft palate obturator design. 1990;63:311-5
Javid NS (*see* Michael et al). 1990;63:549-53
Jochen DG, Caputo AA, Matyas J. Effect of opaque porcelain application on strength of bond to silver-palladium alloys. 1990;63:414-8
Johnson GH (*see* Drennon and Johnson). 1990;63:233-41
—— (*see* Gordon et al). 1990;63:12-5
Johnson M (*see* Ma et al). 1990;63:564-6

K

Kaminski RA, Croft AR, Heuer GA, Steadman C. Legal implications of OSHA and CDC regulations. 1990;63:707-12
Kanchanatawewat K (*see* Stannard et al). 1990;63:627-9
Kane JJ, Burgess JO, Summitt JB. Fracture resistance of amalgam coronal-radicular restorations. 1990;63:607-13
Kanoy BE Jr (*see* Haywood et al). 1990;63:289-91
Katzberg RW (*see* Tallents et al). 1990;63:336-41
Kerschbaum Th (*see* Marinello et al). 1990;63:8-11
Kerstein RB, Farrell S. Treatment of myofascial pain-dysfunction syndrome with occlusal equilibration. 1990;63:695-700
Khan Z (*see* Razavi et al). 1990;63:485-7
Khera SC (*see* Swift and Khera). 1990;63:94-7
Kilcoyne RF (*see* Kribbs et al). 1990;63:86-9
King G (*see* Jacob and King). 1990;63:311-5
Kinzel GL (*see* Rieger et al). 1990;63:457-65
Knapp JG, Small IA. Fixed mandibular complete denture prostheses supported by mandibular staple bone plate implant. 1990;63:73-6
Knudson RC (*see* Meyer and Knudson). 1990;63:182-6
—— (*see* Meyer and Knudson). 1990;63:320-4
—— (*see* Meyer and Knudson). 1990;63:448-51
—— (*see* Meyer et al). 1990;63:1-3
Kohli S, Levine WA, Grisius RJ, Fenster RK. The effect of three different surface treatments on the tensile strength of the resin bond to nickel-chromium-beryllium alloy. 1990;63:4-8
Kortsmit WJPM (*see* van der Burgt et al). 1990;63:155-62
Kotowicz WE (*see* Loney et al). 1990;63:506-12
Koumjian JH, Holmes JB. Marginal accuracy of provisional restorative materials. 1990;63:639-42
Kraft E (*see* Lauer et al). 1990;63:407-14
—— (*see* Müller et al). 1990;63:41-6
—— (*see* Müller et al). 1990;63:263-9
—— (*see* Müller et al). 1990;63:389-95
Krantz WA, Ivanhoe JR, Adrian ED. A simplified technique for fabricating esthetic cast metal occlusal surfaces for dentures. 1990;63:713-5
Kribbs PJ. Comparison of mandibular bone in normal and osteoporotic women. 1990;63:218-22
——, Chesnut CH III, Ott SM, Kilcoyne RF. Relationships between mandibular and skeletal bone in a population of normal women. 1990;63:86-9
Kucey BKS. Matrices in metal ceramics. 1990;63:32-7
Kuhar K (*see* McCartney and Kuhar). 1990;63:245 (Tips)
——(*see* McCartney and Kuhar). 1990;63:488-9 (Tips)
Kuyinu E, Levine WA, Grisius R, Fenster R. An in vitro study of the tensile strength of the resin bond between chemically etched non-noble alloy and enamel. 1990;63:292-5

L

Lader E. Lyme disease misdiagnosed as a temporomandibular joint disorder. 1990;63:82-5
Langenwalter EM, Aquilino SA, Turner KA. The dimensional stability of elastomeric impression materials following disinfection. 1990;63:270-6
Latta GH Jr. Composite resin contouring of abutment teeth for rotational path removable partial dentures. 1990;63:716-7 (Tips)
——, Bowles WF III, Conkin JE. Three-dimensional stability of new denture base resin systems. 1990;63:654-61
Lauer H-Ch, Kraft E, Rothlauf W, Zwingers Th. Effects of the temperature of cooling water during high-speed and ultrahigh-speed tooth preparation. 1990;63:407-14
Law DB (*see* Agar et al). 1990;63:597-9
LeResche L (*see* Dworkin et al). 1990;63:574-9
Levendag PC, Visch LL, Driver N. A simple device to protect against osteoradionecrosis induced by interstitial irradiation. 1990;63:665-70
Levine WA (*see* Kohli et al). 1990;63:4-8
—— (*see* Kuyinu et al). 1990;63:292-5
Liberman R (*see* Cardash et al). 1990;63:502-5
Lingeman R (*see* DaBreo et al). 1990;63:316-20
Linkow LI, Rinaldi AW, Weiss WW Jr, Smith GH. Factors influencing long-term implant success. 1990;63:64-72
Lombardi M (*see* Carossa et al). 1990;63:586-92
Loney RW, Kotowicz WE, McDowell GC. Three-dimensional photoelastic stress analysis of the ferrule effect in cast post and cores. 1990;63:506-12
Look JO, Clay DJ, Gong K, Messer HH. Preliminary results from disinfection of irreversible hydrocolloid impressions. 1990;63:701-7
Louw NP (*see* Orkin and Louw). 1990;63:144-50
Lund JP (*see* Mohl et al). 1990;63:198-201
—— (*see* Mohl et al). 1990;63:332-6

M

Ma T, Taylor TD, Johnson M. A boxing technique for making moulages of facial defects. 1990;63:564-6
Macher DJ (*see* Tallents et al). 1990;63:336-41
Malloy CM (*see* Evans et al). 1990;63:380-9
Malquarti G, Berruet RG, Bois D. Prosthetic use of carbon fiber-reinforced epoxy resin for esthetic crowns and fixed partial dentures. 1990;63:251-7
Marcel T (*see* Nielsen et al). 1990;63:202-17
Marinello CP, Kerschbaum Th, Pfeiffer P, Reppel PD. Success rate experience after rebonding and renewal of resin-bonded fixed partial dentures. 1990;63:8-11
Marks L (*see* Stannard et al). 1990;63:627-9
Marshak BL (*see* Assif et al). 1990;63:258-62
Marshall GW Jr (*see* Bagby et al). 1990;63:21-5
Marshall SJ (*see* Bagby et al). 1990;63:21-5
Martin JS (*see* Nimmo et al). 1990;63:228-33
Marunick MT, Mathog RH. Mastication in patients treated for head and neck cancer: a pilot study. 1990;63:566-73
Mathis RS, DeWald JP, Moody CR, Ferracane JL. Marginal leakage in class V composite resin restorations with glass ionomer liners in vitro. 1990;63:522-5
Mathog RH (*see* Marunick and Mathog). 1990;63:566-73
Matyas J (*see* Jochen et al). 1990;63:414-8
Maxson BB, Powers MP, Scott RF. Prosthodontic considerations for the transmandibular implant. 1990;63:554-8
Mayberry M (*see* Rieger et al). 1990;63:671-6
McCall WD Jr (*see* Mohl et al). 1990;63:198-201
—— (*see* Mohl et al). 1990;63:332-6
McCartney JW, Kuhar K. Cleaning the internal threaded chamber of osseointegrated implants. 1990;63:488-9 (Tips)
——, ——. Retrieving fractured intramobile elements from osseointegrated implants. 1990;63:245 (Tips)
McDowell GC (*see* Loney et al). 1990;63:506-12
McKinstry RE, Zini I. How to make microwavable denture flasks. 1990;63:104-10
Messer HH (*see* Look et al). 1990;63:701-7
Meyer JB Jr, Knudson RC. Fabrication of a custom recessed tracheostoma valve retainer for the total laryngectomy patient. 1990;63:182-6
——, ——. Fabrication of a prosthesis to prevent sleep apnea in edentulous patients. 1990;63:448-51
——, ——. The sleep apnea syndrome. Part II: treatment. 1990;63:320-4
——, ——, Myers KM. Light-cured interim palatal augmentation prosthesis: a clinical report. 1990;63:1-3
Michael CG, Javid NS, Colaizzi FA, Gibbs CH. Biting strength and chewing forces in complete denture wearers. 1990;63:549-53
Miller AJ (*see* Nielsen et al). 1990;63:202-17

Minamizato T. Slip-cast zirconia dental roots with tunnels drilled by laser process. 1990;63:677-84
Mohl ND, Lund JP, Widmer CG, McCall WD Jr. Devices for the diagnosis and treatment of temporomandibular disorders. Part II: electromyography and sonography. 1990;63:332-6
——, ——, ——, ——. Devices for the diagnosis and treatment of temporomandibular disorders. Part II: electromyography and sonography (1990;63:332-6). 1990;63:13A (Correction)
——, McCall WD Jr, Lund JP, Plesh O. Devices for the diagnosis and treatment of temporomandibular disorders. Part I: introduction, scientific evidence, and jaw tracking. 1990;63:198-201
——, ——, ——, ——. Devices for the diagnosis and treatment of temporomandibular disorders. Part I: introduction, scientific evidence, and jaw tracking (1990;63:198-201). 1990;63:13A (Correction)
——, Ohrbach RK, Crow HC, Gross AJ. Devices for the diagnosis and treatment of temporomandibular disorders. Part III: thermography, ultrasound, electrical stimulation, and electromyographic biofeedback. 1990;63:472-7
——, ——, ——, ——. Devices for the diagnosis and treatment of temporomandibular disorders. Part III: thermography, ultrasound, electrical stimulation, and electromyographic biofeedback (1990;63:472-7). 1990;63:13A (Correction)
Moody CR (*see* Mathis et al). 1990;63:522-5
Morris D (*see* Engler et al). 1990;63:353-8
Morris HF. Properties of cobalt-chromium metal ceramic alloys after heat treatment. 1990;63:426-33
——. Veterans Administration Cooperative Studies Project No. 147: association of metallic taste with metal ceramic alloys. 1990;63:124-9
Müller J, Götz G, Hörz W, Kraft E. An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part I: plaster, impression compound, and wax. 1990;63:263-9
——, ——, ——, ——. An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part II: polyether, acrylic resin, and corrected wax wafer. 1990;63:389-95
——, ——, ——, ——. Study of the accuracy of different recording materials. 1990;63:41-6
Myers KM (*see* Meyer et al). 1990;63:1-3
Myslinski NR (*see* Davison and Myslinski). 1990;63:97-101

N

Nagy WW. Making custom cast protectors. 1990;63:111-2 (Tips)
——, Stankewitz CG. The versatile air abrasive blaster. 1990;63:490 (Tips)
Nicholls JI (*see* Spector et al). 1990;63:444-7
Nielsen IL, Marcel T, Chun D, Miller AJ. Patterns of mandibular movements in subjects with craniomandibular disorders. 1990;63:202-17
Nikai H (*see* Akagawa et al). 1990;63:559-64
Nimmo A, Werley MS, Martin JS, Tansy MF. Particulate inhalation during the removal of amalgam restorations. 1990;63:228-33

O

O'Hara JW Jr. A matrix technique for restoring occlusolingual cavity preparations. 1990;63:111 (Tips)
Ohrbach RK (*see* Mohl et al). 1990;63:472-7
Okamoto Y, Shintani H, Yamaki M. A medicated polycarboxylate cement to prevent complications in composite resin therapy. 1990;63:37-40
Orkin DA, Louw NP. Comparative study of the retentive strengths of dowels of three different diameters in combination with one or two different-sized threaded pins. 1990;63:144-50
Ott SM (*see* Kribbs et al). 1990;63:86-9

P

Parr GR (*see* Gardner et al). 1990;63:62-4
—— (*see* Gardner et al). 1990;63:497-501
—— (*see* Gardner et al). 1990;63:637-9
Pashley DH (*see* Richardson et al). 1990;63:418-22
Pelletier LB, Campbell SD. Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility. 1990;63:395-403
——, ——. Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part II: study of a population. 1990;63:536-40
Peregrina A, Reisbick MH. Occlusal accuracy of casts made and articulated differently. 1990;63:422-5
Pfeiffer P (*see* Marinello et al). 1990;63:8-11
Pilo R (*see* Assif et al). 1990;63:258-62
Plesh O (*see* Mohl et al). 1990;63:198-201
Podshadley AG. Retention of threaded pins in amalgam. 1990;63:47-51
Pollock JJ (*see* Santarpia et al). 1990;63:437-43
Powers MP (*see* Maxson et al). 1990;63:554-8
Pratten DH, Covey DA, Sheats RD. Effect of disinfectant solutions on the wettability of elastomeric impression materials. 1990;63:223-7
Preti G (*see* Carossa et al). 1990;63:586-92
Pyhtinen J (*see* Raustia and Pyhtinen). 1990;63:77-82

R

Rahn AO (*see* Gardner et al). 1990;63:62-4
—— (*see* Gardner et al). 1990;63:497-501
—— (*see* Gardner et al). 1990;63:637-9
Ramsey WO. 1990;63:602 (Letter)
Raustia AM, Pyhtinen J. Morphology of the condyles and mandibular fossa as seen by computed tomography. 1990;63:77-82
Razavi R, Khan Z, von Fraunhofer JA. The bond strength of a visible light–cured reline resin to acrylic resin denture base material. 1990;63:485-7
Reisbick MH (*see* DaBreo et al). 1990;63:316-20
—— (*see* Peregrina and Reisbick). 1990;63:422-5
Renner RP (*see* Dabadie and Renner). 1990;63:52-5
—— (*see* Santarpia et al). 1990;63:437-43
Reppel PD (*see* Marinello et al). 1990;63:8-11
Richardson DW, Tao L, Pashley DH. Bond strengths of luting cements to potassium oxalate–treated dentin. 1990;63:418-22
—— (*see* Gardner et al). 1990;63:637-9
Rieger MR, Adams WK, Kinzel GL. A finite element survey of eleven endosseous implants. 1990;63:457-65
——, Mayberry M, Brose MO. Finite element analysis of six endosseous implants. 1990;63:671-6
Rinaldi AW (*see* Linkow et al). 1990;63:64-72
Roberts CA (*see* Tallents et al). 1990;63:336-41
Rosenberg M (*see* Cardash and Rosenberg). 1990;63:661-4
Rothlauf W (*see* Lauer et al). 1990;63:407-14

S

Sakumura JS (*see* Goldenberg et al). 1990;63:163-6
Salvo E. Visible light–cured shoulder-porcelain application. 1990;63:359-61
Samant A. Immediate temporary fixed partial dentures. 1990;63:362-3 (Tips)
Santarpia RP III, Pollock JJ, Renner RP, Spiechowicz E. An in vivo replica method for the site-specific detection of *Candida albicans* on the denture surface in denture stomatitis patients: correlation with clinical disease. 1990;63:437-43
Satomi K (*see* Akagawa et al). 1990;63:559-64

Schmitt A (*see* Zarb and Schmitt). 1990;63:451-7
Schorr BL (*see* Elledge and Schorr). 1990;63:541-4
Schuster GS (*see* Caughman et al). 1990;63:513-21
Schutt RW. A procedure to sterilize dental burs with dry heat. 1990;63:246 (Tips)
Schwarz WD. 1990;63:367 (Letter)
Scott RF (*see* Maxson et al). 1990;63:554-8
Seymour HC (*see* Agar et al). 1990;63:597-9
Sheats RD (*see* Pratten et al). 1990;63:223-7
Shintani H (*see* Okamoto et al). 1990;63:37-40
Shulman J, Zeno A. A new technique for making occlusal devices. 1990;63:482-5
Sidelsky H, Clayton JA. A clinical study of joint sounds in subjects with restored occlusions. 1990;63:580-6
Slabbert JCG (*see* Veres et al). 1990;63:90-4
Small IA (*see* Knapp and Small). 1990;63:73-6
Smith BGN (*see* Atta et al). 1990;63:137-43
Smith GH (*see* Linkow et al). 1990;63:64-72
Sorensen JA, Engelman MJ. Ferrule design and fracture resistance of endodontically treated teeth. 1990;63:529-36
——, ——, Daher T, Caputo AA. Altered corrosion resistance from casting to stainless steel posts. 1990;63:630-7
—— (*see* White and Sorensen). 1990;63:367 (Letter)
Spector MR, Donovan TE, Nicholls JI. An evaluation of impression techniques for osseointegrated implants. 1990;63:444-7
Spiechowicz E (*see* Santarpia et al). 1990;63:437-43
Spurrier S (*see* Walters and Spurrier). 1990;63:277-81
Stankewitz CG (*see* Nagy and Stankewitz). 1990;63:490 (Tips)
Stannard JG, Marks L, Kanchanatawewat K. Effect of multiple firing on the bond strength of selected matched porcelain-fused-to-metal combinations. 1990;63:627-9
Starr CB. Amalgam crown restorations for posterior pulpless teeth. 1990;63:614-9
Steadman C (*see* Kaminski et al). 1990;63:707-12
Stein RS (*see* Hammad and Stein). 1990;63:643-53
Sulong MZAM, Aziz RA. Wear of materials used in dentistry: a review of the literature. 1990;63:342-9
Summitt JB (*see* Kane et al). 1990;63:607-13
Sutherland JK, Hallam RF. Soldering technique for osseointegrated implant protheses. 1990;63:242-4
Swift EJ Jr, Khera SC. Mounting natural teeth for preclinical exercises. 1990;63:94-7
—— (*see* Dixon et al). 1990;63:55-8

T

Tallents RH, Katzberg RW, Macher DJ, Roberts CA. Use of protrusive splint therapy in anterior disk displacement of the temporomandibular joint: a 1- to 3-year follow-up. 1990;63:336-41
Tam LE, Brown JW. The tear resistance of various impression materials with and without modifiers. 1990;63:282-5
Tansy MF (*see* Nimmo et al). 1990;63:228-33
Tao L (*see* Richardson et al). 1990;63:418-22
Taylor TD (*see* Ma et al). 1990;63:564-6
ten Bosch JJ (*see* van der Burgt et al). 1990;63:155-62
Tesk JA (*see* Engler et al). 1990;63:353-8
Throckmorton GS, Groshan GJ, Boyd SB. Muscle activity patterns and control of temporomandibular joint loads. 1990;63:685-95
Tradowsy M. Sex difference in intercondylar distance. 1990;63:301-2
Tsuru H (*see* Akagawa et al). 1990;63:559-64
Turner KA (*see* Langenwalter et al). 1990;63:270-6

U

Uchida K (*see* Fujisawa et al). 1990;63:350-2

V

van der Burgt TP, ten Bosch JJ, Borsboom PCF, Kortsmit WJPM. A comparison of new and conventional methods for quantification of tooth color. 1990;63:155-62
van Waas MAJ. The influence of clinical variables on patients' satisfaction with complete dentures. 1990;63:307-10
——. The influence of psychologic factors on patient satisfaction with complete dentures. 1990;63:545-8
Veres EM, Slabbert JCG, Becker PJ. The effect of dust-suppressant additives on the physical properties of an irreversible hydrocolloid. 1990;63:90-4
——, Wolfaardt JF, Becker PJ. An evaluation of the surface characteristics of a facial prosthetic elastomer. Part I: review of the literature on the surface characteristics of dental materials with maxillofacial prosthetic application. 1990;63:193-7
——, ——, ——. An evaluation of the surface characteristics of a facial prosthetic elastomer. Part II: the surface texture. 1990;63:325-31
——, ——, ——. An evaluation of the surface characteristics of a facial prosthetic elastomer. Part III: wettability and hardness. 1990;63:466-71
Visch LL (*see* Levendag et al). 1990;63:665-70
von Fraunhofer JA (*see* Razavi et al). 1990;63:485-7
Von Korff M (*see* Dworkin et al). 1990;63:574-9

W

Walter JD. Palatopharyngeal activity in cleft palate subjects. 1990;63:187-92
Walters RA, Spurrier S. An effect of tray design and material retention on the linear dimensional changes in polysulfide impressions. 1990;63:277-81
Weener H (*see* Campbell and Weener). 1990;63:59-61
Weiss WW Jr (*see* Linkow et al). 1990;63:64-72
Werley MS (*see* Nimmo et al). 1990;63:228-33
White SN, Sorensen JA. 1990;63:367 (Letter)
Widmer CG (*see* Mohl et al). 1990;63:332-6
Wiens JP. Acquired maxillofacial defects from motor vehicle accidents: statistics and prosthodontic considerations. 1990;63:172-81
Williams RA. 1990;63:491 (Letter)
Wilwerding TM. Preventing aspiration or ingestion of single fixed restorations. 1990;63:489 (Tips)
Windeler AS (*see* Evans et al). 1990;63:380-9
Withrow G, Crandall EM, Clark TR. An efficient method to make surgical templates for immediate dentures. 1990;63:363-4 (Tips)
Woerner EL. 1990;63:367-8 (Letter)
Wolfaardt JF (*see* Veres et al). 1990;63:193-7
—— (*see* Veres et al). 1990;63:325-31
—— (*see* Veres et al). 1990;63:466-71
Wu Y-LH. 1990;63:602 (Letter reply)

Y

Yamada Y (*see* Fujisawa et al). 1990;63:350-2
Yamaki M (*see* Okamoto et al). 1990;63:37-40
Yoshida Y (*see* Ichiki et al). 1990;63:525-9

Z

Zarb GA, Schmitt A. The longitudinal clinical effectiveness of osseointegrated dental implants: the Toronto Study. Part I: surgical results. 1990;63:451-7
Zeno A (*see* Shulman and Zeno). 1990;63:482-5
Zini I (*see* McKinstry and Zini). 1990;63:104-10
Zwingers Th (*see* Lauer et al). 1990;63:407-14

Subject index*

A

Abutments
- Composite resin contouring of abutment teeth for rotational path removable partial dentures (Latta). 1990;63:716-7 (Tips)
- A provisional and new crown to fit into a clasp of an existing removable partial denture (Elledge and Schorr). 1990;63:541-4
- Three-dimensional photoelastic stress analysis of the ferrule effect in cast post and cores (Loney et al). 1990;63:506-12

Accidents, traffic
- Acquired maxillofacial defects from motor vehicle accidents: statistics and prosthodontic considerations (Wiens). 1990;63:172-81

Acid etching
- An in vitro study of the tensile strength of the resin bond between chemically etched non-noble alloy and enamel (Kuyinu et al). 1990;63:292-5
- Reducing marginal leakage of posterior composite resin restorations: a review of clinical techniques (Cheung). 1990;63:286-8

Acrylic resins
- The bond strength of a visible light–cured reline resin to acrylic resin denture base material (Razavi et al). 1990;63:485-7
- The effect of three different surface treatments on the tensile strength of the resin bond to nickel-chromium-beryllium alloy (Kohli et al). 1990;63:4-8
- The effect of tray selection on the accuracy of elastomeric impression materials (Gordon et al). 1990;63:12-5
- An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part II: polyether, acrylic resin, and corrected wax wafer (Müller et al). 1990;63:389-95
- How to make microwavable denture flasks (McKinstry and Zini). 1990;63:104-10
- Light-cured interim palatal augmentation prosthesis: a clinical report (Meyer et al). 1990;63:1-3
- Monopoly coating on acrylic resin surfaces: a bacteriologic study (Aslan and Avci). 1990;63:478-81
- Mounting natural teeth for preclinical exercises (Swift and Khera). 1990;63:94-7
- A new technique for making occlusal devices (Shulman and Zeno). 1990;63:482-5
- Provisional restoration for a patient with cleft lip and palate: a clinical report (DaBreo and Ghalichebaf). 1990;63:119-21
- Three-dimensional stability of new denture base resin systems (Latta et al). 1990;63:654-61
- Using a tooth-reduction guide for modifying natural teeth (Gardner et al). 1990;63:637-9

Aesthetics; *see* Esthetics

Air abrasive blaster; *see* Instruments

Air-drying; *see* Bonding

Airway obstruction
- Upper airway obstruction caused by a do-it-yourself denture reliner (Granström). 1990;63:495-6

Alginates
- Occlusal accuracy of casts made and articulated differently (Peregrina and Reisbick). 1990;63:422-5

Alloys
- Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers (Atta et al). 1990;63:137-43
- Effect of opaque porcelain application on strength of bond to silver-palladium alloys (Jochen et al). 1990;63:414-8
- An in vitro study of the tensile strength of the resin bond between chemically etched non-noble alloy and enamel (Kuyinu et al). 1990;63:292-5
- Metal ceramic compatibility: a review of the literature (Bagby et al). 1990;63:21-5
- Properties of cobalt-chromium metal ceramic alloys after heat treatment (Morris). 1990;63:426-33
- A qualitative study for the bond and color of ceramometals. Part I (Hammad and Stein). 1990;63:643-53
- Veterans Administration Cooperative Studies Project No. 147: association of metallic taste with metal ceramic alloys (Morris). 1990;63:124-9

Amalgam
- Amalgam crown restorations for posterior pulpless teeth (Starr). 1990;63:614-9
- A combined amalgam and composite resin restoration (Cardash et al). 1990;63:502-5
- Cuspal flexure associated with amalgam restorations (Assif et al). 1990;63:258-62
- Fracture resistance of amalgam coronal-radicular restorations (Kane et al). 1990;63:607-13
- A matrix technique for restoring occlusolingual cavity preparations (O'Hara). 1990;63:111 (Tips)
- Particulate inhalation during the removal of amalgam restorations (Nimmo et al). 1990;63:228-33
- Retention of threaded pins in amalgam (Podshadley). 1990;63:47-51
- Wear of materials used in dentistry: a review of the literature (Sulong and Aziz). 1990;63:342-9

Arthrography
- Use of protrusive splint therapy in anterior disk displacement of the temporomandibular joint: a 1- to 3-year follow-up (Tallents et al). 1990;63:336-41

Articulators
- Sex difference in intercondylar distance (Tradowsy). 1990;63:301-2

Aspiration
- Particulate inhalation during the removal of amalgam restorations (Nimmo et al). 1990;63:228-33
- Preventing aspiration or ingestion of single fixed restorations (Wilwerding). 1990;63:489 (Tips)

Assistants; *see* Dental assistants

B

Beryllium
- The effect of three different surface treatments on the tensile strength of the resin bond to nickel-chromium-beryllium alloy (Kohli et al). 1990;63:4-8

Biocompatible materials
- An evaluation of the surface characteristics of a facial prosthetic elastomer. Part I: review of the literature on the surface characteristics of dental materials with maxillofacial prosthetic application (Veres et al). 1990;63:193-7

*January, 1-118; February, 119-250; March, 251-370; April, 371-494; May, 495-606; June, 607-740.

Bite force
Biting strength and chewing forces in complete denture wearers (Michael et al). 1990;63:549-53
Blade implantation
Slip-cast zirconia dental roots with tunnels drilled by laser process (Minamizato). 1990;63:677-84
Bonding
The bond strength of a visible light–cured reline resin to acrylic resin denture base material (Razavi et al). 1990;63:485-7
Bond strengths of luting cements to potassium oxalate–treated dentin (Richardson et al). 1990;63:418-22
Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers (Atta et al). 1990;63:137-43
Correlation between air-drying duration and bond strength of composite resins to teeth (Ichiki et al). 1990;63:525-9
Effect of multiple firing on the bond strength of selected matched porcelain-fused-to-metal combinations (Stannard et al). 1990;63:627-9
The effect of three different surface treatments on the tensile strength of the resin bond to nickel-chromium-beryllium alloy (Kohli et al). 1990;63:4-8
An in vitro study of the tensile strength of the resin bond between chemically etched non-noble alloy and enamel (Kuyinu et al). 1990;63:292-5
Management of worn dentition with resin-bonded cast metal lingual veneering (Cheung and Dimmer). 1990;63:122-3
Metal ceramic compatibility: a review of the literature (Bagby et al). 1990;63:21-5
A qualitative study for the bond and color of ceramometals. Part I (Hammad and Stein). 1990;63:643-53
Success rate experience after rebonding and renewal of resin-bonded fixed partial dentures (Marinello et al). 1990;63:8-11
Thermal removal of composite resin: effect on rebonding etched metal (Haywood et al). 1990;63:289-91
Use of a partial-coverage porcelain laminate to enhance clasp retention (Dixon et al). 1990;63:55-8
Bone plates
Relationships between mandibular and skeletal bone in a population of normal women (Kribbs et al). 1990;63:86-9
Book reviews
Book reviews. 1990;63:247, 492, 718
Bruxism
A new technique for making occlusal devices (Shulman and Zeno). 1990;63:482-5
Burs; *see* Instruments

C

Calcium sulfate
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41
Camera equipment; *see* Photography
Candida albicans
An in vivo replica method for the site-specific detection of *Candida albicans* on the denture surface in denture stomatitis patients: correlation with clinical disease (Santarpia et al). 1990;63:437-43
Carbon
Prosthetic use of carbon fiber-reinforced epoxy resin for esthetic crowns and fixed partial dentures (Malquarti et al). 1990;63:251-7
Casting investment
Altered corrosion resistance from casting to stainless steel posts (Sorensen et al). 1990;63:630-7
Casting investment—cont'd
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part II: polyether, acrylic resin, and corrected wax wafer (Müller et al). 1990;63:389-95
Multidimensional internal setting expansion of a phosphate-bonded casting investment measured with strain gauges (Engler et al). 1990;63:353-8
Three-dimensional stability of new denture base resin systems (Latta et al). 1990;63:654-61
Casting technique
Comparison of conventional paint-on die spacers and those used with the all-ceramic restorations (Campbell). 1990;63:151-5
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part I: plaster, impression compound, and wax (Müller et al). 1990;63:263-9
Matrices in metal ceramics (Kucey). 1990;63:32-7
Occlusal accuracy of casts made and articulated differently (Peregrina and Reisbick). 1990;63:422-5
A simplified technique for fabricating esthetic cast metal occlusal surfaces for dentures (Krantz et al). 1990;63:713-5
Casting wax; *see* Inlay casting wax
Cavity lining
A lining system for composite resin fillings (Derand). 1990;63:134-7
Pulp response to a composite resin inserted in deep cavities with and without a surface seal (Fuks et al). 1990;63:129-34
Cavity preparation
Cuspal flexure associated with amalgam restorations (Assif et al). 1990;63:258-62
A matrix technique for restoring occlusolingual cavity preparations (O'Hara). 1990;63:111 (Tips)
CDC; *see* Centers for Disease Control (U.S.)
Cements
Bond strengths of luting cements to potassium oxalate–treated dentin (Richardson et al). 1990;63:418-22
Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers (Atta et al). 1990;63:137-43
Glass ionomer and composite resin cements: effects on oral cells (Caughman et al). 1990;63:513-21
Influence of ceramic thickness on the polymerization of light-cured resin cement (Blackman et al). 1990;63:295-300
Marginal leakage in class V composite resin restorations with glass ionomer liners in vitro (Mathis et al). 1990;63:522-5
A medicated polycarboxylate cement to prevent complications in composite resin therapy (Okamoto et al). 1990;63:37-40
Use of protrusive splint therapy in anterior disk displacement of the temporomandibular joint: a 1- to 3-year follow-up (Tallents et al). 1990;63:336-41
Wear of materials used in dentistry: a review of the literature (Sulong and Aziz). 1990;63:342-9
Centers for Disease Control (U.S.)
Legal implications of OSHA and CDC regulations (Kaminski et al). 1990;63:707-12
Ceramics; *see also* Porcelain
Comparison of conventional paint-on die spacers and those used with the all-ceramic restorations (Campbell). 1990;63:151-5
Conservative posterior ceramic restorations: a literature review (Banks). 1990;63:619-26
Influence of ceramic thickness on the polymerization of light-cured resin cement (Blackman et al). 1990;63:295-300
The influence of condensation method on porosity and shade of body porcelain (Evans et al). 1990;63:380-9
Marginal fit of porcelain-fused-to-metal and two types of ceramic crown (Hung et al). 1990;63:26-31

Ceramics—cont'd
Matrices in metal ceramics (Kucey). 1990;63:32-7
Metal ceramic compatibility: a review of the literature (Bagby et al). 1990;63:21-5
Properties of cobalt-chromium metal ceramic alloys after heat treatment (Morris). 1990;63:426-33
A qualitative study for the bond and color of ceramometals. Part I (Hammad and Stein). 1990;63:643-53
Veterans Administration Cooperative Studies Project No. 147: association of metallic taste with metal ceramic alloys (Morris). 1990;63:124-9
Chewing; *see* **Mastication**
Chlorine
Effect of disinfectant solutions on the wettability of elastomeric impression materials (Pratten et al). 1990;63:223-7
Chromium alloys
Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers (Atta et al). 1990;63:137-43
The effect of three different surface treatments on the tensile strength of the resin bond to nickel-chromium-beryllium alloy (Kohli et al). 1990;63:4-8
Properties of cobalt-chromium metal ceramic alloys after heat treatment (Morris). 1990;63:426-33
Cleft lip
Provisional restoration for a patient with cleft lip and palate: a clinical report (DaBreo and Ghalichebaf). 1990;63:119-21
Cleft palate
Palatopharyngeal activity in cleft palate subjects (Walter). 1990;63:187-92
Provisional restoration for a patient with cleft lip and palate: a clinical report (DaBreo and Ghalichebaf). 1990;63:119-21
Clinical reports
Clinical reports. 1990;63:1-3, 119-21, 371-3, 496-501
Cobalt
Properties of cobalt-chromium metal ceramic alloys after heat treatment (Morris). 1990;63:426-33
Colloids; *see* **Hydrocolloids**
Color blindness
Shade selection by color vision–defective dental personnel (Davison and Myslinski). 1990;63:97-101
Complete denture; *see* **Denture, complete**
Composite resins
A combined amalgam and composite resin restoration (Cardash et al). 1990;63:502-5
Composite resin contouring of abutment teeth for rotational path removable partial dentures (Latta). 1990;63:716-7 (Tips)
Correlation between air-drying duration and bond strength of composite resins to teeth (Ichiki et al). 1990;63:525-9
Glass ionomer and composite resin cements: effects on oral cells (Caughman et al). 1990;63:513-21
Influence of ceramic thickness on the polymerization of light-cured resin cement (Blackman et al). 1990;63:295-300
A lining system for composite resin fillings (Derand). 1990;63:134-7
Marginal leakage in class V composite resin restorations with glass ionomer liners in vitro (Mathis et al). 1990;63:522-5
A matrix technique for restoring occlusolingual cavity preparations (O'Hara). 1990;63:111 (Tips)
A medicated polycarboxylate cement to prevent complications in composite resin therapy (Okamoto et al). 1990;63:37-40
Prosthetic use of carbon fiber-reinforced epoxy resin for esthetic crowns and fixed partial dentures (Malquarti et al). 1990;63:251-7
Pulp response to a composite resin inserted in deep cavities with and without a surface seal (Fuks et al). 1990;63:129-34
Composite resins—cont'd
Reducing marginal leakage of posterior composite resin restorations: a review of clinical techniques (Cheung). 1990;63:286-8
Thermal removal of composite resin: effect on rebonding etched metal (Haywood et al). 1990;63:289-91
Wear of materials used in dentistry: a review of the literature (Sulong and Aziz). 1990;63:342-9
Computed tomography; *see* **Tomography, x-ray computed**
Correction
Devices for the diagnosis and treatment of temporomandibular disorders. Parts I, II, III (Mohl et al) (1990;63:198-201, 332-6, 472-7). 1990;63:13A
Correspondence
Letters. 1990;63:366-8, 491, 602-3
Corrosion
Altered corrosion resistance from casting to stainless steel posts (Sorensen et al). 1990;63:630-7
Craniomandibular function and dysfunction
Craniomandibular function and dysfunction. 1990;63:77-85, 198-217, 332-41, 472-7, 574-92, 685-700
Crown remover; *see* **Equipment**
Crowns
Amalgam crown restorations for posterior pulpless teeth (Starr). 1990;63:614-9
Cast connectors as cores for ceramometal pontics on removable partial dentures and for splinting anterior crowns (Fehling). 1990;63:167-71
Effects of the temperature of cooling water during high-speed and ultrahigh-speed tooth preparation (Lauer et al). 1990;63:407-14
Emergence profiles in natural tooth contour. Part II: clinical considerations (Croll). 1990;63:374-9
Ferrule design and fracture resistance of endodontically treated teeth (Sorensen and Engelman). 1990;63:529-36
Marginal fit of porcelain-fused-to-metal and two types of ceramic crown (Hung et al). 1990;63:26-31
Modification of a crown remover (Gallin). 1990;63:364-5 (Tips)
Prosthetic use of carbon fiber-reinforced epoxy resin for esthetic crowns and fixed partial dentures (Malquarti et al). 1990;63:251-7
A provisional and new crown to fit into a clasp of an existing removable partial denture (Elledge and Schorr). 1990;63:541-4

D

Dental assistants
Shade selection by color vision–defective dental personnel (Davison and Myslinski). 1990;63:97-101
Dental implants
Dental implants. 1990;63:62-76, 172-97, 311-31, 444-71, 554-73, 665-84
Dental implantation, endosseous; *see* **Implantation, endosseous**
Dental materials
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part III: wettability and hardness (Veres et al). 1990;63:466-71
Marginal accuracy of provisional restorative materials (Koumjian and Holmes). 1990;63:639-42
Wear of materials used in dentistry: a review of the literature (Sulong and Aziz). 1990;63:342-9
Dental models; *see* **Models**
Dental students; *see* **Students, dental**

Dental technology
Dental technology. 1990;63:102-10, 242-4, 359-61, 482-7, 597-9, 713-5
Dental veneers; *see* Veneers
Dentin sensitivity
Bond strengths of luting cements to potassium oxalate–treated dentin (Richardson et al). 1990;63:418-22
Denture, complete
Biting strength and chewing forces in complete denture wearers (Michael et al). 1990;63:549-53
An in vivo replica method for the site-specific detection of *Candida albicans* on the denture surface in denture stomatitis patients: correlation with clinical disease (Santarpia et al). 1990;63:437-43
Indirect retainers in soft palate obturator design (Jacob and King). 1990;63:311-5
The influence of clinical variables on patients' satisfaction with complete dentures (van Waas). 1990;63:307-10
The influence of psychologic factors on patient satisfaction with complete dentures (van Waas). 1990;63:545-8
An innovative method of monitoring denture hygiene (Cardash and Rosenberg). 1990;63:661-4
Liquid-supported dentures. Part I: theoretical and technical considerations (Davidson and Boere). 1990;63:303-6
Liquid-supported dentures. Part II: clinical study, a preliminary report (Boere et al). 1990;63:434-6
Mechanical evaluation of splint therapy in treatment of the edentulous patient (Dabadie and Renner). 1990;63:52-5
Denture, complete, immediate
An efficient method to make surgical templates for immediate dentures (Withrow et al). 1990;63:363-4 (Tips)
Denture, complete, lower
Fixed mandibular complete denture prostheses supported by mandibular staple bone plate implant (Knapp and Small). 1990;63:73-6
Denture, overlay
Fixed mandibular complete denture prostheses supported by mandibular staple bone plate implant (Knapp and Small). 1990;63:73-6
Denture, partial, fixed
Immediate temporary fixed partial dentures (Samant). 1990;63:362-3 (Tips)
Liquid-supported dentures. Part II: clinical study, a preliminary report (Boere et al). 1990;63:434-6
Management of worn dentition with resin-bonded cast metal lingual veneering (Cheung and Dimmer). 1990;63:122-3
Prosthetic use of carbon fiber-reinforced epoxy resin for esthetic crowns and fixed partial dentures (Malquarti et al). 1990;63:251-7
Success rate experience after rebonding and renewal of resin-bonded fixed partial dentures (Marinello et al). 1990;63:8-11
Denture, partial, immediate
An efficient method to make surgical templates for immediate dentures (Withrow et al). 1990;63:363-4 (Tips)
Denture, partial, removable
Cast connectors as cores for ceramometal pontics on removable partial dentures and for splinting anterior crowns (Fehling). 1990;63:167-71
Composite resin contouring of abutment teeth for rotational path removable partial dentures (Latta). 1990;63:716-7 (Tips)
The hinged-clasp assembly removable partial denture (Campbell and Weener). 1990;63:59-61
An innovative method of monitoring denture hygiene (Cardash and Rosenberg). 1990;63:661-4
A provisional and new crown to fit into a clasp of an existing removable partial denture (Elledge and Schorr). 1990;63:541-4
Denture, partial, removable—cont'd
A simplified technique for fabricating esthetic cast metal occlusal surfaces for dentures (Krantz et al). 1990;63:713-5
Use of a partial-coverage porcelain laminate to enhance clasp retention (Dixon et al). 1990;63:55-8
Denture, partial, temporary
Immediate temporary fixed partial dentures (Samant). 1990;63:362-3 (Tips)
Denture bases
Liquid-supported dentures. Part II: clinical study, a preliminary report (Boere et al). 1990;63:434-6
Three-dimensional stability of new denture base resin systems (Latta et al). 1990;63:654-61
Denture flasks
How to make microwavable denture flasks (McKinstry and Zini). 1990;63:104-10
Denture hygiene; *see* Oral hygiene
Denture liners
Marginal leakage in class V composite resin restorations with glass ionomer liners in vitro (Mathis et al). 1990;63:522-5
Upper airway obstruction caused by a do-it-yourself denture reliner (Granström). 1990;63:495-6
Denture rebasing
The bond strength of a visible light–cured reline resin to acrylic resin denture base material (Razavi et al). 1990;63:485-7
Diagnosis, differential
Assessing clinical signs of temporomandibular disorders: reliability of clinical examiners (Dworkin et al). 1990;63:574-9
Disinfection
The dimensional stability of elastomeric impression materials following disinfection (Langenwalter et al). 1990;63:270-6
Effect of disinfectant solutions on the wettability of elastomeric impression materials (Pratten et al). 1990;63:223-7
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41
An impression tray hanger for disinfection (Agar et al). 1990;63:597-9
Preliminary results from disinfection of irreversible hydrocolloid impressions (Look et al). 1990;63:701-7

E

Edentulous mouth; *see* Mouth, edentulous
Education
Mounting natural teeth for preclinical exercises (Swift and Khera). 1990;63:94-7
Research and education. 1990;63:86-101, 218-41, 342-58, 478-81, 593-6, 701-12
Elastomeric impression materials; *see* Impression materials
Electromyography
Devices for the diagnosis and treatment of temporomandibular disorders. Part II: electromyography and sonography (Mohl et al). 1990;63:332-6
Devices for the diagnosis and treatment of temporomandibular disorders. Part III: thermography, ultrasound, electrical stimulation, and electromyographic biofeedback (Mohl et al). 1990;63:472-7
Surface electromyographic electrode pair with built-in buffer-amplifiers (Fujisawa et al). 1990;63:350-2
Enamel
An in vitro study of the tensile strength of the resin bond between chemically etched non-noble alloy and enamel (Kuyinu et al). 1990;63:292-5

Epoxy resins
Prosthetic use of carbon fiber-reinforced epoxy resin for esthetic crowns and fixed partial dentures (Malquarti et al). 1990;63:251-7
Equipment; *see also* **Instruments**
A comparison of new and conventional methods for quantification of tooth color (van der Burgt et al). 1990;63:155-62
Devices for the diagnosis and treatment of temporomandibular disorders. Part I: introduction, scientific evidence, and jaw tracking (Mohl et al). 1990;63:198-201
An impression tray hanger for disinfection (Agar et al). 1990;63:597-9
Modification of a crown remover (Gallin). 1990;63:364-5 (Tips)
Multidimensional internal setting expansion of a phosphate-bonded casting investment measured with strain gauges (Engler et al). 1990;63:353-8
A slide duplicator attachment (Butel). 1990;63:600-1 (Tips)
Errata; *see* **Correction**
Escherichia coli
Monopoly coating on acrylic resin surfaces: a bacteriologic study (Aslan and Avci). 1990;63:478-81
Esthetics
A boxing technique for making moulages of facial defects (Ma et al). 1990;63:564-6
A comparison of new and conventional methods for quantification of tooth color (van der Burgt et al). 1990;63:155-62
Emergence profiles in natural tooth contour. Part II: clinical considerations (Croll). 1990;63:374-9
Glass ionomer and composite resin cements: effects on oral cells (Caughman et al). 1990;63:513-21
Shade selection by color vision–defective dental personnel (Davison and Myslinski). 1990;63:97-101
A simplified technique for fabricating esthetic cast metal occlusal surfaces for dentures (Krantz et al). 1990;63:713-5

F

Facial asymmetry
A boxing technique for making moulages of facial defects (Ma et al). 1990;63:564-6
Facial expression
A boxing technique for making moulages of facial defects (Ma et al). 1990;63:564-6
Ferrule; *see* **Post and core technique**
Fiber optics
A comparison of new and conventional methods for quantification of tooth color (van der Burgt et al). 1990;63:155-62
Fixed partial denture; *see* **Denture, partial, fixed**
Fixed prosthodontics
Fixed prosthodontics. 1990;63:4-51, 122-66, 251-302, 374-433, 502-40, 607-53
Fungus diseases
An in vivo replica method for the site-specific detection of *Candida albicans* on the denture surface in denture stomatitis patients: correlation with clinical disease (Santarpia et al). 1990;63:437-43

G

Glass ionomer cements
Glass ionomer and composite resin cements: effects on oral cells (Caughman et al). 1990;63:513-21
Marginal leakage in class V composite resin restorations with glass ionomer liners in vitro (Mathis et al). 1990;63:522-5
Wear of materials used in dentistry: a review of the literature (Sulong and Aziz). 1990;63:342-9
Glossectomy
Light-cured interim palatal augmentation prosthesis: a clinical report (Meyer et al). 1990;63:1-3
Glutaraldehyde
The dimensional stability of elastomeric impression materials following disinfection (Langenwalter et al). 1990;63:270-6
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41
Gold alloys
Prosthodontic considerations for the transmandibular implant (Maxson et al). 1990;63:554-8
Gypsum; *see* **Calcium sulfate**

H

Head and neck neoplasms
Mastication in patients treated for head and neck cancer: a pilot study (Marunick and Mathog). 1990;63:566-73
A simple device to protect against osteoradionecrosis induced by interstitial irradiation (Levendag et al). 1990;63:665-70
Heat, adverse effects
Effects of the temperature of cooling water during high-speed and ultrahigh-speed tooth preparation (Lauer et al). 1990;63:407-14
Hydrocolloids
The effect of dust-suppressant additives on the physical properties of an irreversible hydrocolloid (Veres et al). 1990;63:90-4
Preliminary results from disinfection of irreversible hydrocolloid impressions (Look et al). 1990;63:701-7
Hydroxyapatites
Initial interface between submerged hydroxyapatite-coated titanium alloy implant and mandibular bone after nontapping and tapping insertions in monkeys (Akagawa et al). 1990;63:559-64

I

Implants
Dental implants. 1990;63:62-76, 172-97, 311-31, 444-71, 554-73, 665-84
Implantation, blade; *see* **Blade implantation**
Implantation, endosseous
Cleaning the internal threaded chamber of osseointegrated implants (McCartney and Kuhar). 1990;63:488-9 (Tips)
An evaluation of impression techniques for osseointegrated implants (Spector et al). 1990;63:444-7
Factors influencing long-term implant success (Linkow et al). 1990;63:64-72
Finite element analysis of six endosseous implants (Rieger et al). 1990;63:671-6
A finite element survey of eleven endosseous implants (Rieger et al). 1990;63:457-65
Fixed mandibular complete denture prostheses supported by mandibular staple bone plate implant (Knapp and Small). 1990;63:73-6
Initial interface between submerged hydroxyapatite-coated titanium alloy implant and mandibular bone after nontapping and tapping insertions in monkeys (Akagawa et al). 1990;63:559-64
The longitudinal clinical effectiveness of osseointegrated dental implants: the Toronto Study. Part I: surgical results (Zarb and Schmitt). 1990;63:451-7
Prosthodontic considerations for the transmandibular implant (Maxson et al). 1990;63:554-8

Implantation, endosseous—cont'd
Retrieving fractured intramobile elements from osseointegrated implants (McCartney and Kuhar). 1990;63:245 (Tips)
Soldering technique for osseointegrated implant protheses (Sutherland and Hallam). 1990;63:242-4
Impression materials
A boxing technique for making moulages of facial defects (Ma et al). 1990;63:564-6
The dimensional stability of elastomeric impression materials following disinfection (Langenwalter et al). 1990;63:270-6
Effect of disinfectant solutions on the wettability of elastomeric impression materials (Pratten et al). 1990;63:223-7
The effect of dust-suppressant additives on the physical properties of an irreversible hydrocolloid (Veres et al). 1990;63:90-4
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41
An effect of tray design and material retention on the linear dimensional changes in polysulfide impressions (Walters and Spurrier). 1990;63:277-81
The effect of tray selection on the accuracy of elastomeric impression materials (Gordon et al). 1990;63:12-5
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part I: plaster, impression compound, and wax (Müller et al). 1990;63:263-9
An impression tray hanger for disinfection (Agar et al). 1990;63:597-9
Occlusal accuracy of casts made and articulated differently (Peregrina and Reisbick). 1990;63:422-5
Preliminary results from disinfection of irreversible hydrocolloid impressions (Look et al). 1990;63:701-7
Properties of a new polyether urethane dimethacrylate photoinitiated elastomeric impression material (Craig and Hare). 1990;63:16-20
The tear resistance of various impression materials with and without modifiers (Tam and Brown). 1990;63:282-5
Using vinyl polysiloxane in the altered cast procedure for speech-aid prostheses (Gardner et al). 1990;63:62-4
Impression technique
Effect of disinfectant solutions on the wettability of elastomeric impression materials (Pratten et al). 1990;63:223-7
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41
An effect of tray design and material retention on the linear dimensional changes in polysulfide impressions (Walters and Spurrier). 1990;63:277-81
The effect of tray selection on the accuracy of elastomeric impression materials (Gordon et al). 1990;63:12-5
An evaluation of impression techniques for osseointegrated implants (Spector et al). 1990;63:444-7
Organizing records and equipment for transport to a laboratory (Graser). 1990;63:102-3
Properties of a new polyether urethane dimethacrylate photoinitiated elastomeric impression material (Craig and Hare). 1990;63:16-20
Study of the accuracy of different recording materials (Müller et al). 1990;63:41-6
Using vinyl polysiloxane in the altered cast procedure for speech-aid prostheses (Gardner et al). 1990;63:62-4
Inlay casting wax
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part I: plaster, impression compound, and wax (Müller et al). 1990;63:263-9
Inlay casting wax—cont'd
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part II: polyether, acrylic resin, and corrected wax wafer (Müller et al). 1990;63:389-95
Instruments; *see also* **Equipment**
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility (Pelletier and Campbell). 1990;63:395-403
A procedure to sterilize dental burs with dry heat (Schutt). 1990;63:246 (Tips)
The versatile air abrasive blaster (Nagy and Stankewitz). 1990;63:490 (Tips)
Intercondylar distance; *see* **Mandibular condyle**
Intramobile element; *see* **Implantation, endosseous**
Iodophors
The dimensional stability of elastomeric impression materials following disinfection (Langenwalter et al). 1990;63:270-6
Irreversible hydrocolloids; *see* **Alginates**

J

Jaw relation record
Devices for the diagnosis and treatment of temporomandibular disorders. Part I: introduction, scientific evidence, and jaw tracking (Mohl et al). 1990;63:198-201
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part II: study of a population (Pelletier and Campbell). 1990;63:536-40
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part I: plaster, impression compound, and wax (Müller et al). 1990;63:263-9
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part II: polyether, acrylic resin, and corrected wax wafer (Müller et al). 1990;63:389-95
A graphic evaluation of the intermaxillary relationship before and after therapy with the Michigan splint (Carossa et al). 1990;63:586-92
Matrices in metal ceramics (Kucey). 1990;63:32-7
Organizing records and equipment for transport to a laboratory (Graser). 1990;63:102-3
Patterns of mandibular movements in subjects with craniomandibular disorders (Nielsen et al). 1990;63:202-17
Study of the accuracy of different recording materials (Müller et al). 1990;63:41-6

L

Laryngectomy
Fabrication of a custom recessed tracheostoma valve retainer for the total laryngectomy patient (Meyer and Knudson). 1990;63:182-6
Larynx, artificial
Fabrication of a custom recessed tracheostoma valve retainer for the total laryngectomy patient (Meyer and Knudson). 1990;63:182-6
Using vinyl polysiloxane in the altered cast procedure for speech-aid prostheses (Gardner et al). 1990;63:62-4
Lasers
Slip-cast zirconia dental roots with tunnels drilled by laser process (Minamizato). 1990;63:677-84
Leakage
A lining system for composite resin fillings (Derand). 1990;63:134-7

Leakage—cont'd
Marginal leakage in class V composite resin restorations with glass ionomer liners in vitro (Mathis et al). 1990;63:522-5
Reducing marginal leakage of posterior composite resin restorations: a review of clinical techniques (Cheung). 1990;63:286-8
Legislation
Legal implications of OSHA and CDC regulations (Kaminski et al). 1990;63:707-12
Letters
Letters. 1990;63:366-8, 491, 602-3
Light curing
The bond strength of a visible light–cured reline resin to acrylic resin denture base material (Razavi et al). 1990;63:485-7
Influence of ceramic thickness on the polymerization of light-cured resin cement (Blackman et al). 1990;63:295-300
A light-cured interim obturator prosthesis: a clinical report (DaBreo). 1990;63:371-3
Light-cured interim palatal augmentation prosthesis: a clinical report (Meyer et al). 1990;63:1-3
Visible light–cured shoulder-porcelain application (Salvo). 1990;63:359-61
Liners; *see* **Cavity lining; Denture liners**
Liquid-supported dentures; *see* **Prosthesis design**
Literature review
Metal ceramic compatibility: a review of the literature (Bagby et al). 1990;63:21-5
Longitudinal studies
The longitudinal clinical effectiveness of osseointegrated dental implants: the Toronto Study. Part I: surgical results (Zarb and Schmitt). 1990;63:451-7
Lyme disease
Lyme disease misdiagnosed as a temporomandibular joint disorder (Lader). 1990;63:82-5

M

Mandible
Comparison of mandibular bone in normal and osteoporotic women (Kribbs). 1990;63:218-22
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility (Pelletier and Campbell). 1990;63:395-403
Fixed mandibular complete denture prostheses supported by mandibular staple bone plate implant (Knapp and Small). 1990;63:73-6
The loss of occlusion and its effect on mandibular immediate side shift (Goldenberg et al). 1990;63:163-6
Prosthodontic considerations for the transmandibular implant (Maxson et al). 1990;63:554-8
Relationships between mandibular and skeletal bone in a population of normal women (Kribbs et al). 1990;63:86-9
Mandible, animal
Initial interface between submerged hydroxyapatite-coated titanium alloy implant and mandibular bone after nontapping and tapping insertions in monkeys (Akagawa et al). 1990;63:559-64
Mandibular condyle
Morphology of the condyles and mandibular fossa as seen by computed tomography (Raustia and Pyhtinen). 1990;63:77-82
Sex difference in intercondylar distance (Tradowsy). 1990;63:301-2
Masks
Particulate inhalation during the removal of amalgam restorations (Nimmo et al). 1990;63:228-33
Masseter muscle
Muscle activity patterns and control of temporomandibular joint loads (Throckmorton et al). 1990;63:685-95
Mastication
Biting strength and chewing forces in complete denture wearers (Michael et al). 1990;63:549-53
A graphic evaluation of the intermaxillary relationship before and after therapy with the Michigan splint (Carossa et al). 1990;63:586-92
Mastication in patients treated for head and neck cancer: a pilot study (Marunick and Mathog). 1990;63:566-73
Masticatory muscles
Muscle activity patterns and control of temporomandibular joint loads (Throckmorton et al). 1990;63:685-95
Patterns of mandibular movements in subjects with craniomandibular disorders (Nielsen et al). 1990;63:202-17
Materials testing
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part III: wettability and hardness (Veres et al). 1990;63:466-71
Marginal accuracy of provisional restorative materials (Koumjian and Holmes). 1990;63:639-42
Wear of materials used in dentistry: a review of the literature (Sulong and Aziz). 1990;63:342-9
Maxilla
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility (Pelletier and Campbell). 1990;63:395-403
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part II: study of a population (Pelletier and Campbell). 1990;63:536-40
A light-cured interim obturator prosthesis: a clinical report (DaBreo). 1990;63:371-3
Prosthetic and surgical management of osteogenic sarcoma of the maxilla (DaBreo et al). 1990;63:316-20
Maxillofacial injuries
Acquired maxillofacial defects from motor vehicle accidents: statistics and prosthodontic considerations (Wiens). 1990;63:172-81
Maxillofacial prosthesis
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part I: review of the literature on the surface characteristics of dental materials with maxillofacial prosthetic application (Veres et al). 1990;63:193-7
Maxillofacial prosthetics
Maxillofacial prosthetics. 1990;63:62-76, 172-97, 311-31, 444-71, 554-73, 665-84
Metals
Altered corrosion resistance from casting to stainless steel posts (Sorensen et al). 1990;63:630-7
Cast connectors as cores for ceramometal pontics on removable partial dentures and for splinting anterior crowns (Fehling). 1990;63:167-71
Effect of multiple firing on the bond strength of selected matched porcelain-fused-to-metal combinations (Stannard et al). 1990;63:627-9
Management of worn dentition with resin-bonded cast metal lingual veneering (Cheung and Dimmer). 1990;63:122-3
Marginal fit of porcelain-fused-to-metal and two types of ceramic crown (Hung et al). 1990;63:26-31
Matrices in metal ceramics (Kucey). 1990;63:32-7
Metal ceramic compatibility: a review of the literature (Bagby et al). 1990;63:21-5
Properties of cobalt-chromium metal ceramic alloys after heat treatment (Morris). 1990;63:426-33

Metals—cont'd
A qualitative study for the bond and color of ceramometals. Part I (Hammad and Stein). 1990;63:643-53
A simplified technique for fabricating esthetic cast metal occlusal surfaces for dentures (Krantz et al). 1990;63:713-5
Thermal removal of composite resin: effect on rebonding etched metal (Haywood et al). 1990;63:289-91
Veterans Administration Cooperative Studies Project No. 147: association of metallic taste with metal ceramic alloys (Morris). 1990;63:124-9
Michigan splint
A graphic evaluation of the intermaxillary relationship before and after therapy with the Michigan splint (Carossa et al). 1990;63:586-92
Models
Comparison of conventional paint-on die spacers and those used with the all-ceramic restorations (Campbell). 1990;63:151-5
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41
Making custom cast protectors (Nagy). 1990;63:111-2 (Tips)
Mounting natural teeth for preclinical exercises (Swift and Khera). 1990;63:94-7
Organizing records and equipment for transport to a laboratory (Graser). 1990;63:102-3
Study of the accuracy of different recording materials (Müller et al). 1990;63:41-6
Using vinyl polysiloxane in the altered cast procedure for speech-aid prostheses (Gardner et al). 1990;63:62-4
Models, anatomic
A boxing technique for making moulages of facial defects (Ma et al). 1990;63:564-6
Motor vehicle accidents; *see* **Accidents, traffic**
Moulages; *see* **Models, anatomic**
Mouth, edentulous
Mechanical evaluation of splint therapy in treatment of the edentulous patient (Dabadie and Renner). 1990;63:52-5
Myofascial pain syndromes
Lyme disease misdiagnosed as a temporomandibular joint disorder (Lader). 1990;63:82-5
Treatment of myofascial pain-dysfunction syndrome with occlusal equilibration (Kerstein and Farrell). 1990;63:695-700

N

Nickel
Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers (Atta et al). 1990;63:137-43
The effect of three different surface treatments on the tensile strength of the resin bond to nickel-chromium-beryllium alloy (Kohli et al). 1990;63:4-8

O

Obturators, palatal; *see* **Palatal obturators**
Occlusal devices; *see* **Prosthesis** *entries*
Occlusion
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility (Pelletier and Campbell). 1990;63:395-403
The loss of occlusion and its effect on mandibular immediate side shift (Goldenberg et al). 1990;63:163-6
Matrices in metal ceramics (Kucey). 1990;63:32-7
Occlusion, balanced
Muscle activity patterns and control of temporomandibular joint loads (Throckmorton et al). 1990;63:685-95
Treatment of myofascial pain-dysfunction syndrome with occlusal equilibration (Kerstein and Farrell). 1990;63:695-700
Operative dentistry
Operative dentistry. 1990;63:4-51, 122-66, 251-302, 374-433, 502-40, 607-53
Oral hygiene
Emergence profiles in natural tooth contour. Part II: clinical considerations (Croll). 1990;63:374-9
An innovative method of monitoring denture hygiene (Cardash and Rosenberg). 1990;63:661-4
OSHA; *see* **United States Occupational Safety and Health Administration**
Osseointegrated implant; *see* **Implantation, endosseous**
Osteogenic sarcoma; *see* **Osteosarcoma**
Osteoporosis
Comparison of mandibular bone in normal and osteoporotic women (Kribbs). 1990;63:218-22
Relationships between mandibular and skeletal bone in a population of normal women (Kribbs et al). 1990;63:86-9
Osteoradionecrosis
A simple device to protect against osteoradionecrosis induced by interstitial irradiation (Levendag et al). 1990;63:665-70
Osteosarcoma
Prosthetic and surgical management of osteogenic sarcoma of the maxilla (DaBreo et al). 1990;63:316-20
Overdenture; *see* **Denture, overlay**

P

Palatal muscles
Palatopharyngeal activity in cleft palate subjects (Walter). 1990;63:187-92
Palatal obturators
Combination nasal support breathing flange with hollow obturator prosthesis: a clinical report (Gardner et al). 1990;63:497-501
Indirect retainers in soft palate obturator design (Jacob and King). 1990;63:311-5
A light-cured interim obturator prosthesis: a clinical report (DaBreo). 1990;63:371-3
Light-cured interim palatal augmentation prosthesis: a clinical report (Meyer et al). 1990;63:1-3
Monopoly coating on acrylic resin surfaces: a bacteriologic study (Aslan and Avci). 1990;63:478-81
Palatopharyngeal activity in cleft palate subjects (Walter). 1990;63:187-92
Provisional restoration for a patient with cleft lip and palate: a clinical report (DaBreo and Ghalichebaf). 1990;63:119-21
Palladium
Effect of opaque porcelain application on strength of bond to silver-palladium alloys (Jochen et al). 1990;63:414-8
Particulate inhalation; *see* **Aspiration**
Patient satisfaction; *see* **Personal satisfaction**
Periodontal splints; *see also* **Splints**
Cast connectors as cores for ceramometal pontics on removable partial dentures and for splinting anterior crowns (Fehling). 1990;63:167-71
A graphic evaluation of the intermaxillary relationship before and after therapy with the Michigan splint (Carossa et al). 1990;63:586-92
Permanent restoration; *see* **Restoration, permanent**

Personal satisfaction
The influence of clinical variables on patients' satisfaction with complete dentures (van Waas). 1990;63:307-10
The influence of psychologic factors on patient satisfaction with complete dentures (van Waas). 1990;63:545-8
Personality
The influence of psychologic factors on patient satisfaction with complete dentures (van Waas). 1990;63:545-8
Phenols
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41
Phosphates
Multidimensional internal setting expansion of a phosphate-bonded casting investment measured with strain gauges (Engler et al). 1990;63:353-8
Photography
A slide duplicator attachment (Butel). 1990;63:600-1 (Tips)
Pins
Comparative study of the retentive strengths of dowels of three different diameters in combination with one or two different-sized threaded pins (Orkin and Louw). 1990;63:144-50
Retention of threaded pins in amalgam (Podshadley). 1990;63:47-51
Polycarboxylate cement; *see* **Cements**
Polyether
An experimental study on the influence of the derived casts on the accuracy of different recording materials. Part II: polyether, acrylic resin, and corrected wax wafer (Müller et al). 1990;63:389-95
Properties of a new polyether urethane dimethacrylate photoinitiated elastomeric impression material (Craig and Hare). 1990;63:16-20
The tear resistance of various impression materials with and without modifiers (Tam and Brown). 1990;63:282-5
Polysulfides
An effect of tray design and material retention on the linear dimensional changes in polysulfide impressions (Walters and Spurrier). 1990;63:277-81
Occlusal accuracy of casts made and articulated differently (Peregrina and Reisbick). 1990;63:422-5
The tear resistance of various impression materials with and without modifiers (Tam and Brown). 1990;63:282-5
Porcelain; *see also* **Ceramics**
Apparent density and tensile strength of materials for facially butted porcelain margins (Hinrichs et al). 1990;63:403-7
Cast connectors as cores for ceramometal pontics on removable partial dentures and for splinting anterior crowns (Fehling). 1990;63:167-71
Comparison of conventional paint-on die spacers and those used with the all-ceramic restorations (Campbell). 1990;63:151-5
Effect of multiple firing on the bond strength of selected matched porcelain-fused-to-metal combinations (Stannard et al). 1990;63:627-9
Effect of opaque porcelain application on strength of bond to silver-palladium alloys (Jochen et al). 1990;63:414-8
The influence of condensation method on porosity and shade of body porcelain (Evans et al). 1990;63:380-9
Marginal fit of porcelain-fused-to-metal and two types of ceramic crown (Hung et al). 1990;63:26-31
Matrices in metal ceramics (Kucey). 1990;63:32-7
Metal ceramic compatibility: a review of the literature (Bagby et al). 1990;63:21-5
A qualitative study for the bond and color of ceramometals. Part I (Hammad and Stein). 1990;63:643-53
Porcelain—cont'd
Use of a partial-coverage porcelain laminate to enhance clasp retention (Dixon et al). 1990;63:55-8
Visible light–cured shoulder-porcelain application (Salvo). 1990;63:359-61
Post and core technique
Altered corrosion resistance from casting to stainless steel posts (Sorensen et al). 1990;63:630-7
Comparative study of the retentive strengths of dowels of three different diameters in combination with one or two different-sized threaded pins (Orkin and Louw). 1990;63:144-50
Ferrule design and fracture resistance of endodontically treated teeth (Sorensen and Engelman). 1990;63:529-36
Three-dimensional photoelastic stress analysis of the ferrule effect in cast post and cores (Loney et al). 1990;63:506-12
Potassium oxalate
Bond strengths of luting cements to potassium oxalate–treated dentin (Richardson et al). 1990;63:418-22
Prosthesis design
Acquired maxillofacial defects from motor vehicle accidents: statistics and prosthodontic considerations (Wiens). 1990;63:172-81
Combination nasal support breathing flange with hollow obturator prosthesis: a clinical report (Gardner et al). 1990;63:497-501
Fabrication of a custom recessed tracheostoma valve retainer for the total laryngectomy patient (Meyer and Knudson). 1990;63:182-6
Fabrication of a prosthesis to prevent sleep apnea in edentulous patients (Meyer and Knudson). 1990;63:448-51
The hinged-clasp assembly removable partial denture (Campbell and Weener). 1990;63:59-61
How to make microwavable denture flasks (McKinstry and Zini). 1990;63:104-10
A light-cured interim obturator prosthesis: a clinical report (DaBreo). 1990;63:371-3
Light-cured interim palatal augmentation prosthesis: a clinical report (Meyer et al). 1990;63:1-3
Liquid-supported dentures. Part I: theoretical and technical considerations (Davidson and Boere). 1990;63:303-6
A new technique for making occlusal devices (Shulman and Zeno). 1990;63:482-5
Provisional restoration for a patient with cleft lip and palate: a clinical report (DaBreo and Ghalichebaf). 1990;63:119-21
Using vinyl polysiloxane in the altered cast procedure for speech-aid prostheses (Gardner et al). 1990;63:62-4
Prosthesis repair
Retrieving fractured intramobile elements from osseointegrated implants (McCartney and Kuhar). 1990;63:245 (Tips)
Soldering technique for osseointegrated implant protheses (Sutherland and Hallam). 1990;63:242-4
Prosthesis retention
Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers (Atta et al). 1990;63:137-43
The hinged-clasp assembly removable partial denture (Campbell and Weener). 1990;63:59-61
Indirect retainers in soft palate obturator design (Jacob and King). 1990;63:311-5
Liquid-supported dentures. Part II: clinical study, a preliminary report (Boere et al). 1990;63:434-6
Upper airway obstruction caused by a do-it-yourself denture reliner (Granström). 1990;63:495-6
Use of a partial-coverage porcelain laminate to enhance clasp retention (Dixon et al). 1990;63:55-8

Protrusive splint therapy; *see* Splints
Psychological factors; *see* Personality
Pulmonary fibrosis
The effect of dust-suppressant additives on the physical properties of an irreversible hydrocolloid (Veres et al). 1990;63:90-4
Pulp capping
A medicated polycarboxylate cement to prevent complications in composite resin therapy (Okamoto et al). 1990;63:37-40
Pulp cavity
Amalgam crown restorations for posterior pulpless teeth (Starr). 1990;63:614-9
Fracture resistance of amalgam coronal-radicular restorations (Kane et al). 1990;63:607-13
Pulpitis
Pulp response to a composite resin inserted in deep cavities with and without a surface seal (Fuks et al). 1990;63:129-34

R

Radiation protection
A simple device to protect against osteoradionecrosis induced by interstitial irradiation (Levendag et al). 1990;63:665-70
Readers' round table
Letters. 1990;63:366-8, 491, 602-3
Records; *see* Jaw relation record
Removable partial denture; *see* Denture, partial, removable
Removable prosthodontics
Removable prosthodontics. 1990;63:52-61, 167-71, 303-10, 434-43, 541-53, 654-64
Reproducibility of results
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility (Pelletier and Campbell). 1990;63:395-403
Research and education
Research and education. 1990;63:86-101, 218-41, 342-58, 478-81, 593-6, 701-12
Resins
An in vitro study of the tensile strength of the resin bond between chemically etched non-noble alloy and enamel (Kuyinu et al). 1990;63:292-5
Restoration, permanent
Amalgam crown restorations for posterior pulpless teeth (Starr). 1990;63:614-9
Apparent density and tensile strength of materials for facially butted porcelain margins (Hinrichs et al). 1990;63:403-7
A clinical study of joint sounds in subjects with restored occlusions (Sidelsky and Clayton). 1990;63:580-6
A combined amalgam and composite resin restoration (Cardash et al). 1990;63:502-5
Conservative posterior ceramic restorations: a literature review (Banks). 1990;63:619-26
Effect of multiple firing on the bond strength of selected matched porcelain-fused-to-metal combinations (Stannard et al). 1990;63:627-9
Effect of opaque porcelain application on strength of bond to silver-palladium alloys (Jochen et al). 1990;63:414-8
Effects of the temperature of cooling water during high-speed and ultrahigh-speed tooth preparation (Lauer et al). 1990;63:407-14
Emergence profiles in natural tooth contour. Part II: clinical considerations (Croll). 1990;63:374-9
Restoration, permanent—cont'd
Ferrule design and fracture resistance of endodontically treated teeth (Sorensen and Engelman). 1990;63:529-36
Fracture resistance of amalgam coronal-radicular restorations (Kane et al). 1990;63:607-13
The influence of condensation method on porosity and shade of body porcelain (Evans et al). 1990;63:380-9
Marginal accuracy of provisional restorative materials (Koumjian and Holmes). 1990;63:639-42
Marginal leakage in class V composite resin restorations with glass ionomer liners in vitro (Mathis et al). 1990;63:522-5
A matrix technique for restoring occlusolingual cavity preparations (O'Hara). 1990;63:111 (Tips)
Particulate inhalation during the removal of amalgam restorations (Nimmo et al). 1990;63:228-33
Preventing aspiration or ingestion of single fixed restorations (Wilwerding). 1990;63:489 (Tips)
Reducing marginal leakage of posterior composite resin restorations: a review of clinical techniques (Cheung). 1990;63:286-8
Restoration, temporary
Cuspal flexure associated with amalgam restorations (Assif et al). 1990;63:258-62
Provisional restoration for a patient with cleft lip and palate: a clinical report (DaBreo and Ghalichebaf). 1990;63:119-21
Retainers; *see* Prosthesis retention
Review literature
Conservative posterior ceramic restorations: a literature review (Banks). 1990;63:619-26
Devices for the diagnosis and treatment of temporomandibular disorders. Part I: introduction, scientific evidence, and jaw tracking (Mohl et al). 1990;63:198-201
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility (Pelletier and Campbell). 1990;63:395-403
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part I: review of the literature on the surface characteristics of dental materials with maxillofacial prosthetic application (Veres et al). 1990;63:193-7
Palatopharyngeal activity in cleft palate subjects (Walter). 1990;63:187-92
Root canal therapy
Fracture resistance of amalgam coronal-radicular restorations (Kane et al). 1990;63:607-13

S

Sarcoma, osteogenic; *see* Osteosarcoma
Scaling
Thermal removal of composite resin: effect on rebonding etched metal (Haywood et al). 1990;63:289-91
Sex characteristics
Sex difference in intercondylar distance (Tradowsy). 1990;63:301-2
Sex differences; *see* Sex characteristics
Silicone elastomers
The dimensional stability of elastomeric impression materials following disinfection (Langenwalter et al). 1990;63:270-6
Effect of disinfectant solutions on the wettability of elastomeric impression materials (Pratten et al). 1990;63:223-7
The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts (Drennon and Johnson). 1990;63:233-41

Silicone elastomers—cont'd
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part I: review of the literature on the surface characteristics of dental materials with maxillofacial prosthetic application (Veres et al). 1990;63:193-7
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part II: the surface texture (Veres et al). 1990;63:325-31
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part III: wettability and hardness (Veres et al). 1990;63:466-71
Occlusal accuracy of casts made and articulated differently (Peregrina and Reisbick). 1990;63:422-5
The tear resistance of various impression materials with and without modifiers (Tam and Brown). 1990;63:282-5
Using vinyl polysiloxane in the altered cast procedure for speech-aid prostheses (Gardner et al). 1990;63:62-4
Siloxanes
Using a tooth-reduction guide for modifying natural teeth (Gardner et al). 1990;63:637-9
Silver
Effect of opaque porcelain application on strength of bond to silver-palladium alloys (Jochen et al). 1990;63:414-8
Sleep apnea syndromes
Fabrication of a prosthesis to prevent sleep apnea in edentulous patients (Meyer and Knudson). 1990;63:448-51
The sleep apnea syndrome. Part II: treatment (Meyer and Knudson). 1990;63:320-4
Sodium hypochlorite
The dimensional stability of elastomeric impression materials following disinfection (Langenwalter et al). 1990;63:270-6
Soldering
Soldering technique for osseointegrated implant protheses (Sutherland and Hallam). 1990;63:242-4
Sonography; *see* **Ultrasonic diagnosis**
Speech prosthesis; *see* **Larynx, artificial**
Splints; *see also* **Periodontal splints**
Mechanical evaluation of splint therapy in treatment of the edentulous patient (Dabadie and Renner). 1990;63:52-5
Use of protrusive splint therapy in anterior disk displacement of the temporomandibular joint: a 1- to 3-year follow-up (Tallents et al). 1990;63:336-41
Stainless steel
Altered corrosion resistance from casting to stainless steel posts (Sorensen et al). 1990;63:630-7
Sterilization
A procedure to sterilize dental burs with dry heat (Schutt). 1990;63:246 (Tips)
Stomatitis, denture
An in vivo replica method for the site-specific detection of *Candida albicans* on the denture surface in denture stomatitis patients: correlation with clinical disease (Santarpia et al). 1990;63:437-43
Stomatognathic system
A graphic evaluation of the intermaxillary relationship before and after therapy with the Michigan splint (Carossa et al). 1990;63:586-92
The loss of occlusion and its effect on mandibular immediate side shift (Goldenberg et al). 1990;63:163-6
Mastication in patients treated for head and neck cancer: a pilot study (Marunick and Mathog). 1990;63:566-73
Strain gauges; *see* **Equipment**
Stress, mechanical
Finite element analysis of six endosseous implants (Rieger et al). 1990;63:671-6
A finite element survey of eleven endosseous implants (Rieger et al). 1990;63:457-65
Stress, mechanical—cont'd
Muscle activity patterns and control of temporomandibular joint loads (Throckmorton et al). 1990;63:685-95
Three-dimensional photoelastic stress analysis of the ferrule effect in cast post and cores (Loney et al). 1990;63:506-12
Students, dental
Elevated T cell subpopulation in dental students (Eedy et al). 1990;63:593-6
Surface properties
An evaluation of the surface characteristics of a facial prosthetic elastomer. Part II: the surface texture (Veres et al). 1990;63:325-31

T

T lymphocytes
Elevated T cell subpopulation in dental students (Eedy et al). 1990;63:593-6
Taste
Veterans Administration Cooperative Studies Project No. 147: association of metallic taste with metal ceramic alloys (Morris). 1990;63:124-9
Technology
Dental technology. 1990;63:102-10, 242-4, 359-61, 482-7, 597-9, 713-5
Temperature
Effects of the temperature of cooling water during high-speed and ultrahigh-speed tooth preparation (Lauer et al). 1990;63:407-14
Templates
An efficient method to make surgical templates for immediate dentures (Withrow et al). 1990;63:363-4 (Tips)
Using a tooth-reduction guide for modifying natural teeth (Gardner et al). 1990;63:637-9
Temporary restoration; *see* **Restoration, temporary**
Temporomandibular joint
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part I: literature review, instrumentation, and reproducibility (Pelletier and Campbell). 1990;63:395-403
Evaluation of the relationship between anterior and posterior functionally disclusive angles. Part II: study of a population (Pelletier and Campbell). 1990;63:536-40
Muscle activity patterns and control of temporomandibular joint loads (Throckmorton et al). 1990;63:685-95
Temporomandibular joint diseases
Assessing clinical signs of temporomandibular disorders: reliability of clinical examiners (Dworkin et al). 1990;63:574-9
A clinical study of joint sounds in subjects with restored occlusions (Sidelsky and Clayton). 1990;63:580-6
Devices for the diagnosis and treatment of temporomandibular disorders. Part I: introduction, scientific evidence, and jaw tracking (Mohl et al). 1990;63:198-201
Devices for the diagnosis and treatment of temporomandibular disorders. Part II: electromyography and sonography (Mohl et al). 1990;63:332-6
Devices for the diagnosis and treatment of temporomandibular disorders. Part III: thermography, ultrasound, electrical stimulation, and electromyographic biofeedback (Mohl et al). 1990;63:472-7
Use of protrusive splint therapy in anterior disk displacement of the temporomandibular joint: a 1- to 3-year follow-up (Tallents et al). 1990;63:336-41
Temporomandibular joint syndrome
Assessing clinical signs of temporomandibular disorders: reliability of clinical examiners (Dworkin et al). 1990;63:574-9

Temporomandibular joint syndrome—cont'd
Devices for the diagnosis and treatment of temporomandibular disorders. Part I: introduction, scientific evidence, and jaw tracking (Mohl et al). 1990;63:198-201
Devices for the diagnosis and treatment of temporomandibular disorders. Part II: electromyography and sonography (Mohl et al). 1990;63:332-6
Devices for the diagnosis and treatment of temporomandibular disorders. Part III: thermography, ultrasound, electrical stimulation, and electromyographic biofeedback (Mohl et al). 1990;63:472-7
Lyme disease misdiagnosed as a temporomandibular joint disorder (Lader). 1990;63:82-5
Mechanical evaluation of splint therapy in treatment of the edentulous patient (Dabadie and Renner). 1990;63:52-5
Treatment of myofascial pain-dysfunction syndrome with occlusal equilibration (Kerstein and Farrell). 1990;63:695-700
Tensile strength
Apparent density and tensile strength of materials for facially butted porcelain margins (Hinrichs et al). 1990;63:403-7
Correlation between air-drying duration and bond strength of composite resins to teeth (Ichiki et al). 1990;63:525-9
The effect of three different surface treatments on the tensile strength of the resin bond to nickel-chromium-beryllium alloy (Kohli et al). 1990;63:4-8
An in vitro study of the tensile strength of the resin bond between chemically etched non-noble alloy and enamel (Kuyinu et al). 1990;63:292-5
Thermography
Devices for the diagnosis and treatment of temporomandibular disorders. Part III: thermography, ultrasound, electrical stimulation, and electromyographic biofeedback (Mohl et al). 1990;63:472-7
Tips from readers
Tips from our readers. 1990;63:111-2, 245-6, 362-5, 488-90, 600-1, 716-7
Titanium
Initial interface between submerged hydroxyapatite-coated titanium alloy implant and mandibular bone after nontapping and tapping insertions in monkeys (Akagawa et al). 1990;63:559-64
Tomography, x-ray computed
Morphology of the condyles and mandibular fossa as seen by computed tomography (Raustia and Pyhtinen). 1990;63:77-82
Tooth
A comparison of new and conventional methods for quantification of tooth color (van der Burgt et al). 1990;63:155-62
Tooth, artificial
Cast connectors as cores for ceramometal pontics on removable partial dentures and for splinting anterior crowns (Fehling). 1990;63:167-71
Emergence profiles in natural tooth contour. Part II: clinical considerations (Croll). 1990;63:374-9
Tooth abrasion
Management of worn dentition with resin-bonded cast metal lingual veneering (Cheung and Dimmer). 1990;63:122-3
Tooth fractures
Ferrule design and fracture resistance of endodontically treated teeth (Sorensen and Engelman). 1990;63:529-36
Tracheostoma valve retainer; *see* **Larynx, artificial**
Traffic accidents; *see* **Accidents, traffic**

U

Ultrasonic diagnosis
Devices for the diagnosis and treatment of temporomandibular disorders. Part II: electromyography and sonography (Mohl et al). 1990;63:332-6
Devices for the diagnosis and treatment of temporomandibular disorders. Part III: thermography, ultrasound, electrical stimulation, and electromyographic biofeedback (Mohl et al). 1990;63:472-7
Thermal removal of composite resin: effect on rebonding etched metal (Haywood et al). 1990;63:289-91
United States Occupational Safety and Health Administration
Legal implications of OSHA and CDC regulations (Kaminski et al). 1990;63:707-12
Urethane
Properties of a new polyether urethane dimethacrylate photoinitiated elastomeric impression material (Craig and Hare). 1990;63:16-20

V

Veneers
The influence of condensation method on porosity and shade of body porcelain (Evans et al). 1990;63:380-9
Management of worn dentition with resin-bonded cast metal lingual veneering (Cheung and Dimmer). 1990;63:122-3
Vertical dimension
Patterns of mandibular movements in subjects with craniomandibular disorders (Nielsen et al). 1990;63:202-17
Vinyl compounds
Occlusal accuracy of casts made and articulated differently (Peregrina and Reisbick). 1990;63:422-5
Using a tooth-reduction guide for modifying natural teeth (Gardner et al). 1990;63:637-9
Vinyl polysiloxane; *see* **Impression materials**

W

Wax, casting; *see* **Inlay casting wax**

Z

Zinc phosphate cement
Bond strengths of luting cements to potassium oxalate–treated dentin (Richardson et al). 1990;63:418-22
Zirconium
Slip-cast zirconia dental roots with tunnels drilled by laser process (Minamizato). 1990;63:677-84